



PROSTHESIS FOR JOINTS



Bipolar Prosthesis

Bipolar Prosthesis Standard Stem Non - Fenestrated - Sterile

Cat No.	Dia (mm)
900.137	37
900.139	39
900.141	41
900.143	43
900.145	45
900.147	47
900.149	49
900.151	51
900.153	53



Bipolar Prosthesis Standard Stem Fenestrated - Sterile

Cat No.	Dia (mm)
900.237	37
900.239	39
900.241	41
900.243	43
900.245	45
900.247	47
900.249	49
900.251	51
900.253	53





ipolar Prosthesis

Bipolar Prosthesis Narrow Stem Non - Fenestrated - Sterile

Cat No.	Dia (mm)
900.037	37
900.039	39
900.041	41
900.043	43
900.045	45
900.047	47
900.049	49
900.051	51



Bipolar Prosthesis Narrow Stem - Fenestrated - Sterile

Dia (mm)
37
39
41
43
45
47
49
51



904.112 Stem Centralizer - Sterile - Small



904.113 Stem Centralizer - Sterile - Medium






Bipolar Prosthesis

Bipolar Prosthesis - Extra Long Stem, NON - Fenestrated - Sterile

Cat No.	Dia (mm)	Length(mm)
900.437	37	240
900.439	39	240
900.441	41	240
900.443	43	240
900.445	45	240
900.447	47	240
900.449	49	240
900.451	51	240
900.453	53	240





Bipolar Prosthesis

Bipolar Prosthesis - Long Neck - Sterile

Cat No.	Dia (mm)	Size
900.537	37	Small
900.539	39	Small
Cat No.	Dia (mm)	Size
900.541	41	Medium
900.543	43	Medium
000 545		
900.545	45	Medium
900.545	45 47	Medium Medium

Cat No.	Dia (mm)	Size
900.551	51	Large
900.553	53	Large





Thompson Hip Prosthesis Excel -Standard & Narrow Stem

Cat No.	Dia (mm)
Standard Stem	
172.037	37
172.038	38
172.039	39
172.040	40
172.041	41
172.042	42
172.043	43
172.044	44
172.045	45
172.046	46
172.047	47
172.048	48
172.049	49
172.050	50
172.051	51
172.052	52
172.053	53
172.054	54
172.055	55
172.056	56
172.000	- 00
Cat No.	Dia (mm)
Cat No.	
Cat No. Narrow Stem	Dia (mm)
Cat No. Narrow Stem 172.337	Dia (mm)
Cat No. Narrow Stem 172.337 172.338	37 38
Cat No. Narrow Stem 172.337 172.338 172.339	37 38 39
Cat No. Narrow Stem 172.337 172.338 172.339 172.340	37 38 39 40
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341	37 38 39 40 41
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342	37 38 39 40 41 42
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344	37 38 39 40 41 42 43
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343	37 38 39 40 41 42 43 44
Cat No. Narrow Stem 172.337 172.338 172.340 172.341 172.342 172.343 172.344 172.345	37 38 39 40 41 42 43 44 45
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346	37 38 39 40 41 42 43 44 45 46
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346 172.347	37 38 39 40 41 42 43 44 45 46 47
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346 172.347 172.348	37 38 39 40 41 42 43 44 45 46 47
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346 172.347 172.348 172.349	Dia (mm) 37 38 39 40 41 42 43 44 45 46 47 48 49
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346 172.347 172.348 172.349 172.350	37 38 39 40 41 42 43 44 45 46 47 48 49
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346 172.347 172.348 172.349 172.350 172.351	Dia (mm) 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51
Cat No. Narrow Stem 172.337 172.338 172.339 172.340 172.341 172.342 172.343 172.344 172.345 172.346 172.347 172.348 172.349 172.350 172.351 172.352	Dia (mm) 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52





Austin Moore Hip Prosthesis Excel Standard & Narrow Stem

Cat No.	Dia (mm)
Standard Stem	
173.037	37
173.038	38
173.039	39
173.040	40
173.041	41
173.042	42
173.043	43
173.044	44
173.045	45
173.046	46
173.047	47
173.048	48
173.049	49
173.050	50
173.051	51
173.052	52
173.053	53
173.054	54
173.055	55
173.056	56

Cat No.	Dia (mm)
Narrow Stem	
174.037	37
174.038	38
174.039	39
174.040	40
174.041	41
174.042	42
174.043	43
174.044	44
174.045	45
174.046	46
174.047	47
174.048	48
174.049	49
174.050	50
174.051	51
174.052	52
174.053	53
174.054	54
174.055	55
174.056	56





Thompson Hip Prosthesis Excel Standard & Narrow Stem - Sterile

Cat No.	Cat No.	Dia (mm)
Standard Stem Sterile	Narrow Stem Sterile	
172.237	172.437	37
172.238	172.438	38
172.239	172.439	39
172.240	172.440	40
172.241	172.441	41
172.242	172.442	42
172.243	172.443	43
172.244	172.444	44
172.245	172.445	45
172.246	172.446	46
172.247	172.447	47
172.248	172.448	48
172.249	172.449	49
172.250	172.450	50
172.251	172.451	51
172.252	172.452	52
172.253	172.453	53
172.254	172.454	54
172.255	172.455	55
172.256	172.456	56





Austin Moore Hip Prosthesis Excel Standard & Narrow Stem - Sterile

Cat No.	Cat No.	Dia (mm)
Standard Stem Sterile	Narrow Stem Sterile	
173.137	174.237	37
173.138	174.238	38
173.139	174.239	39
173.140	174.240	40
173.141	174.241	41
173.142	174.242	42
173.143	174.243	43
173.144	174.244	44
173.145	174.245	45
173.146	174.246	46
173.147	174.247	47
173.148	174.248	48
173.149	174.249	49
173.150	174.250	50
173.151	174.251	51
173.152	174.252	52
173.153	174.253	53
173.154	174.254	54
173.155	174.255	55
173.156	174.256	56





Instruments for Hip Prosthesis

	•	
386.010	Rasp for Austin Moore - Standard Stem	44444
386.011	Rasp for Austin Moore - Narrow Stem	
386.020	Rasp for Thompson - Standard Stem	44444
386.021	Rasp for Thompson - Narrow Stem	***************************************
386.030	Murphy Lane Bone Skid	
386.040	Moore Hollow Chisel	
386.041	Moore Hollow Chisel with Fibre Handle Standard	
386.042	Moore Hollow Chisel with Fibre Handle - Extra Large	



Instruments for Hip & Bipolar Prosthesis


Judet Auger Extractor 386.050

The state of the s	

Measuring Gauge for Prosthesis	,
--------------------------------	---

Cat. No.	Size
386.061	Set of Ten (38 to 56mm)
386.062	Set of Ten (37 to 55mm)

386.070 Impactor - Nylon Faced



386.080 Femoral Extractor with Two Hooks

Spare Hook for Extractor 386.090

Rasp with Tommy Bar for Bipolar Prosthesis

Cat No.	Size
904.100	Narrow Stem
904.101	Standard Stem






Instruments for Bipolar Prosthesis

Trial Cup

Cat No.	Size (mm)
904.119	For Dia: 37
904.120	For Dia: 39
904.121	For Dia: 41
904.122	For Dia: 43
904.123	For Dia: 45
904.124	For Dia: 47
904.125	For Dia: 49
904.126	For Dia: 51
904.127	For Dia: 53



904.105 Pencil Reamer - for Bipolar Prosthesis









Cat No.	Size
904.110	Standard Stem
904.111	Narrow Stem

904.133 Impactor - Extractor for Bipolar Prosthesis







Instruments for Bipolar Prosthesis

904.134 Holder / Pusher for Trial Cup





713.008 Detachable Slide Hammer 400gms for Impactor Extractor to with use (904.133)



400.084 Graphic Aluminium Box for Bipolar Instrument set with two Trays









Instruments for Bipolar Prosthesis







Bipolar Instruments Set

Cat No. IS.058	Description	Units
386.040	Moore Hollow Chisel	1
386.062	Measuring Gauge For Prosthesis (Set of 10) 37mm to 55mm	1
386.070	Impactor - Nylon Faced	1
904.100	Rasp With Tomy Bar For Bipolar Prosthesis - Narrow Stem	1
904.101	Rasp With Tomy Bar For Bipolar Prosthesis - Standard Stem	1
904.105	Pencil Reamer - For Bipolar Prosthesis	1
904.106	Tapered Reamer - For Bipolar Prosthesis	1
904.107	Slotted Reamer - For Bipolar Prosthesis	1
904.119	Trial Cup For Dia.37mm	1
904.120	Trial Cup For Dia.39mm	1
904.121	Trial Cup For Dia.41mm	1
904.122	Trial Cup For Dia.43mm	1
904.123	Trial Cup For Dia.45mm	1
904.124	Trial Cup For Dia.47mm	1
904.125	Trial Cup For Dia.49mm	1
904.126	Trial Cup For Dia.51mm	1
904.127	Trial Cup For Dia.53mm	1
904.134	Holder / Pusher For Trial Cup	1
904.133	Impactor - Extractor For Bipolar Prosthesis	1
904.110	Bipolar Trial Stem - S.S. Standard Stem	1
904.111	Bipolar Trial Stem - S.S. Narrow Stem	1
713.008	Detachable Slide Hammer 400 Gms.	1
400.084	Graphic Aluminium Box for Bipolar Instrument Set with Two Trays	1



Implants for Radial Head Prosthesis

Ti.800.014 Radial Head Prosthesis Dia. 14mm, Titanium H.A. Coated - STERILE*



Ti.800.015 Radial Head Prosthesis Dia. 15mm, Titanium H.A. Coated - STERILE*



Ti.800.016 Radial Head Prosthesis Dia. 16mm, Titanium H.A. Coated - STERILE*



Ti.800.017 Radial Head Prosthesis Dia. 17mm, Titanium H.A. Coated - STERILE*



Ti.800.018 Radial Head Prosthesis Dia. 18mm, Titanium H.A. Coated - STERILE*



Ti.800.019 Radial Head Prosthesis Dia. 19mm, Titanium H.A. Coated - STERILE*



Ti.800.020 Radial Head Prosthesis Dia. 20mm, Titanium H.A. Coated - STERILE*



Ti.800.021 Radial Head Prosthesis Dia. 21mm, Titanium H.A. Coated - STERILE*





Instruments for Radial Head Prosthesis

800.202	Rasp for Radial Head Prosthesis Dia. 14.0mm	
802.204	Rasp for Radial Head Prosthesis Dia. 15.0mm	
800.206	Rasp for Radial Head Prosthesis Dia. 16.0mm	
800.208	Rasp for Radial Head Prosthesis Dia. 17.0mm	
800.210	Rasp for Radial Head Prosthesis Dia. 18.0mm	
800.212	Rasp for Radial Head Prosthesis Dia. 19.0mm	
800.214	Rasp for Radial Head Prosthesis Dia. 20.0mm	
800.216	Rasp for Radial Head Prosthesis Dia. 21.0mm	



Instruments for Radial Head Prosthesis

800.218	Canal finder for Radial Head Prosthesis	
800.220	Measuring Gauge for Radial Head Prosthesis	SIORA RADIAL HEAD SYSTEM 20 18 16 14 020 018 016 014 21 19 17 15 021 019 017 015
800.222	Convex Impactor for Radial Head Prosthesis	
800.224	Planner for Radial Head Prosthesis	
Ti.800.226	Trial for Radial Head Prosthesis Dia. 14.0mm	
Ti.800.228	Trial for Radial Head Prosthesis Dia. 15.0mm	
Ti.800.230	Trial for Radial Head Prosthesis Dia. 16.0mm	
Ti.800.232	Trial for Radial Head Prosthesis Dia. 17.0mm	



Instruments for Radial Head Prosthesis

800.234 Trial for Radial Head Prosthesis Dia. 18.0mm



Ti.800.236 Trial for Radial Head Prosthesis Dia. 19.0mm



Ti.800.238 Trial for Radial Head Prosthesis Dia. 20.0mm



Ti.800.240 Trial for Radial Head Prosthesis Dia. 21.0mm



800.242 Holder for Radial Head Prosthesis



400.139 Graphic Aluminum Instruments Box for Radial Head Prosthesis









Instruments Set for Redial head Prosthesis







Cat No. IS.135	Description	Units
Ti.800.202	Rasp for radial head prosthesis Dia. 14.0mm	1
Ti.800.204	Rasp for radial head prosthesis Dia. 15.0mm	1
Ti.800.206	Rasp for radial head prosthesis Dia. 16.0mm	1
Ti.800.208	Rasp for radial head prosthesis Dia. 17.0mm	1
Ti.800.210	Rasp for radial head prosthesis Dia. 18.0mm	1
Ti.800.212	Rasp for radial head prosthesis Dia. 19.0mm	1
Ti.800.214	Rasp for radial head prosthesis Dia. 20.0mm	1
Ti.800.216	Rasp for radial head prosthesis Dia. 21.0mm	1
800.218	Canal Finder for radial head prosthesis	1
800.220	Measuring gauge for radial head prosthesis	1
800.222	Convex impactor for radial head prosthesis	1
800.224	Planner for radial head prosthesis	1
Ti.800.226	Trial for radial head prosthesis Dia. 14.0mm	1
Ti.800.228	Trial for radial head prosthesis Dia. 15.0mm	1
Ti.800.230	Trial for radial head prosthesis Dia. 16.0mm	1
Ti.800.232	Trial for radial head prosthesis Dia. 17.0mm	1
Ti.800.234	Trial for radial head prosthesis Dia. 18.0mm	1
Ti.800.236	Trial for radial head prosthesis Dia. 19.0mm	1
Ti.800.238	Trial for radial head prosthesis Dia. 20.0mm	1
Ti.800.240	Trial for radial head prosthesis Dia. 21.0mm	1
800.242	Holder for radial head prosthesis	1
400.139	Graphic Alumunium Instruments Box For Radial Head Prosthesis	1



Siora Surgicals Private Limited Manufacturer of: Trauma & Spine Implants

- Regd. & Corporate Office
 WZ-1, Phool Bagh, Rampura
 Delhi 110035, INDIA
- Office Land line: +91 11 28316116 , 17, 18
- Manufacturing Unit: 1792, HSIIDC Indl. Estate RAI District, Sonepat Haryana- 131029, INDIA
- www.siiora.com

Updated as on: 02/2020